



B  
Eh

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Johannes PLATZEK et al.

Confirmation No.: 2982

Serial No.: 09/925,618 ✓

Examiner: Michael G. Hartley

Filed: August 10, 2001

Group Art Unit: 1616

Title: USE OF PERFLUOROALKYL-CONTAINING METAL COMPLEXES AS  
CONTRAST MEDIA IN MR.-IMAGING FOR VISUALIZATION OF PLAQUE,  
-TUMORS AND NECROSES

**RESPONSE TO NOTICE OF DRAWING  
INCONSISTENCY WITH SPECIFICATION**


**Mail Stop Issue Fee**  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

In response to the Notice of Drawing Inconsistency with Specification mailed June 15, 2004, applicants hereby submit corrected drawings and request entry of same into the record. The specification recited Figs. 2A, 2B, 5A and 5B; however, the originally-filed drawings contained only Figs. 2 and 5. The drawings have been corrected to show Figs. 2A and 2B, and Figs. 5A and 5B.

Applicants believe that no fee is due with this filing. However, the Commissioner is hereby authorized to charge any fees associated with this response or credit any overpayment to Deposit Account No. 13-3402.

Respectfully submitted,

  
Jennifer J. Branigan, Reg. No. 40,921  
Attorney/Agent for Applicants

MILLEN, WHITE, ZELANO & BRANIGAN, P.C.  
Arlington Courthouse Plaza 1, Suite 1400  
2200 Clarendon Boulevard  
Arlington, Virginia 22201  
Telephone: (703) 243-6333  
Facsimile: (703) 243-6410

Attorney Docket No.: SCH-1774

Date: June 25, 2004